



SHOWER BATHROOM COLLECTION

[www.estazione.com](http://www.estazione.com)



## ABOUT US —

“ESTAZZIONE” comes from the Italian “Stazione” and Spanish “Estaciones”, which means seasons. To live a happy life all year round and to enjoy the nature, to enjoy love and to be loved, in China, we combine and produce a new word “ESTAZZIONE”.

Therefore, all products of ESTAZZIONE are derived from the Italian and Spanish design concepts and are subject to strict production tests under international quality standards. Our products are mainly exported to Europe, America, Australia, South America and also to other countries, and we got good customer feedback and earn reputation after years of sales abroad. Now, we bring the best products to China with the aim that our Chinese consumers can enjoy the foreign quality and product concept, and let all Chinese consumers enjoy a better life.

ESTAZZIONE mainly include floor tiles, wall tiles, bathtubs, toilets, washbasins, showers, faucets, mosaics, pendants and bathroom cabinets. Products are divided into ten series, nearly 1,000 products for customer selection. Considering the tight and fast rhythm of modern life, we provide a one-stop service for the entire home to avoid the trouble of choosing decoration materials for our consumers. While providing good service, we also provide you a high quality Italian products. Let you enjoy the perfect experience of seclusion and luxury for a Italian style.





# DELSIMA

## Details and functions

The new sliding door with stainless steel double hidden roller is quiet, smooth and stable. Have soft closing, which shows its good performance of opening and closing door. Good waterproof performance; Can be reversible.

1 Zin alloy handle 145-2

2 Soft closing

3 Wall profile

4 Waterproof




### YH-DDSM823B Rectangle / square single sliding door with side panel


Size: (1190-1210)x(790-810)x1950mm

Door Access  
500mm


- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel double hidden roller is quiet, smooth and stable
- Zin alloy handle 145-2
- 0-20mm adjustment per side
- Can be left and right opening




YH-DDSM823B  
Size:  
(1190-1210)x(790-810)x1950mm  
6/8mm tempered glass to EN 12150





YH-DDSM821B  
Size:  
(1190-1210)x(790-810)x1950mm  
6/8mm tempered glass to EN 12150



YH-DPSM153B  
Size:  
(980-1020)x1950mm  
6/8mm tempered glass to EN 12150




Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDSM823B	1000*800*1950	400	
	1100*800*1950	450	
	1200*800*1950	500	
	1300*800*1950	550	
	1400*800*1950	600	
Max Size	1500*900*1950	600	



**YH-DPSM153B**

**YH-DPSM15RB**
**YH-DPSM153B** Screen Single sliding door

Size: (980-1020)x1950mm

Door Access  
410mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel double hidden roller is quiet, smooth and stable
- Zin alloy handle 145-2
- 0-20mm adjustment per side
- Can be left and right opening




Model	Size mm (A*B*H)	Door Access(C)	Drawing
Min Size	1000*1950	410	
YH-DPSM153B	1100*1950	460	
	1200*1950	510	
	1300*1950	560	
	1400*1950	610	
	1500*1950	610	
Max Size	1500*1950	610	


**YH-DDSM821B** Rectangle / square single sliding door with side panel

Size: (1190-1210)x(790-810)x1950mm

Door Access  
500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel double hidden roller is quiet, smooth and stable
- Zin alloy handle 145-2
- 0-20mm adjustment per side
- Can be left and right opening



Model	Size mm (A*B*H)	Door Access(C)	Drawing
Min Size	1000*800*1950	400	
YH-DDSM821B	1100*800*1950	450	
	1200*800*1950	500	
	1300*800*1950	550	
	1400*800*1950	600	
	1500*900*1950	600	
Max Size	1500*900*1950	600	






# ABENI


## Details and functions

A small arc aluminum appearance; High transparent seals; It make the product more coordinated with roller & fastener of guide rail; can be opening left and right; The structure is more simple, the performance is more safer, and the product is endowed with more humanization.

- 1 Soft closing
- 2 Hidden stainless steel roller
- 3 Zinc alloy handle 145-2
- 4 Guided clamp



**YH-DDSA821B**  
Size: (1190-1205)x(790-805)x1950mm  
6/8mm-Thick tempered glass



**YH-DPSA153B**  
It can be customized  
6/8mm-Thick tempered glass






### YH-DDSA821B Rectangle / square single sliding door with side panel

Size: (1190-1205)x(790-805)x1950mm

Door Access  
500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel roller
- Zinc alloy handle 145-2
- 0-15mm adjustment per side
- Can be left and right opening



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DDSA821B	1000*800*1950	400	
	1100*800*1950	450	
	1200*800*1950	500	
	1300*800*1950	550	
	1400*800*1950	600	
Max Size	1500*900*1950	600	

ABENI





YH-DPSA153B Screen Single sliding door

Size: (990-1020)x1950mm

Door Access  
410mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel roller
- Zinc alloy handle 145-2
- 0-15mm adjustment per side
- Can be left and right opening



Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	1000*1950	410	
YH-DPSA153B	1100*1950	460	
	1200*1950	510	
	1300*1950	560	
	1400*1950	610	
Max Size	1500*1950	610	

# BAKULA

## Details and functions



Hinge is made of brass, flat structure that is easy for cleaning, esthetic and simple: Hinge with lift type, the door can be opened inside & outside, it could be adjusted with multi-angle. Straight support bar inside with high stability. It is easy to install, with good waterproof performance.

1 Brass hinge outside

3 Zinc alloy handle F07


2 Stainless steel supported bar

4 Wall profile



YH-DDHZ821RB

Size:  
(890-910)x(890-910)x1950mm  
6/8mm tempered glass to EN12150



YH-DDHZ153RB

Size:  
(1180-1220)x1950mm  
6/8mm tempered glass to EN12150





### YH-DDHZ821RB Rectangle / square single hinge door with side panel

Size: (890-910)x(890-910)x1950mm

Door Access  
600mm

- 6/8mm tempered glass to EN12150
- Easy clean glass available
- Zinc alloy handle F07
- 0-20mm adjustment per side
- Easy to install, good waterproof performance
- Straight support bar inside with high stability



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DDHZ821RB	800*800*1950	500	
	900*900*1950	600	
	1000*1000*1950	600	
	1000*800*1950	650	
	1200*800*1950	650	
Max Size	1200*900*1950	650	
	1200*1200*1950	650	




BAKULA

YH-DPHZ153LB Screen Single hinge door

Size:(1180-1220)x1950mm

Door Access  
600mm

- 6/8mm tempered glass to EN12150
- Easy clean glass available
- Zinc alloy handle F07
- 0-20mm adjustment per side
- Easy to install ,good waterproof performance
- Straight support bar inside with high stability



Model	Size mm (A*B*H)	Door Access(C)	Drawing
Min Size	800*1950	500	
YH-DPHZ153LB	900*1950	600	
	1000*1950	600	
	1100*1950	650	
	1200*1950	650	
	1400*1950	650	
Max Size	1500*1950	650	



MILO

Details and functions

Hinge is made of brass, lift and flat structure that is easy for cleaning,esthetic and simple:Stainless steel of support bar has multi-angle rotation and has strong metal texture,it is easy to install.



- 1

Plastic handle F10
- 2

Stainless steel supported bar
- 3


Brass hinge outside
- 4

Wall profile




YH-DDHP821RB

Size:  
(1185-1200)x(785-800)x1950mm  
6/8mm tempered glass to EN 12150



YH-DPHP153RB

Size:  
(1185-1215)x1950mm  
6/8mm tempered glass to EN 12150



YH-DDHP391RB

Size:  
(885-900)x(885-900)1950mm  
6/8mm tempered glass to EN 12150




YH-DDHP821RB Rectangle / square single hinge door with side panel


Size:(1185-1200)x(785-800)x1950mm

Door Access  
650mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Plastic handle F10
- 0-15 mm adjustment per side
- Stainless steel support bar
- lift and flat structure,easy to clean



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDHP821RB	Min Size	800*800*1950	500
		900*900*1950	550
		1000*1000*1950	600
		1000*800*1950	650
		1200*800*1950	650
		1200*900*1950	650
Max Size	1200*1200*1950	650	







**YH-DPHP153RB** Screen Single hinge door

Size: (1185-1215)x1950mm

Door Access  
650mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Plastic handle F10
- 0-15 mm adjustment per side
- Stainless steel support bar
- lift and flat structure, easy to clean



Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	800*1950	500	
YH-DPHP153RB	900*1950	550	
	1000*1950	600	
	1100*1950	650	
	1200*1950	650	
	1400*1950	650	
Max Size	1500*1950	650	





**YH-DDHP391RB** Quadrant single hinge door

Size: (885-900)x(885-900)1950mm

Door Access  
600mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Plastic handle F10
- 0-15 mm adjustment per side
- Stainless steel support bar
- lift and flat structure, easy to clean



Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	800*800*1950	600	
YH-DDHP391RB	900*900*1950	600	
	1000*1000*1950	600	
	1000*800*1950	600	
	1200*800*1950	600	
	1200*900*1950	600	
Max Size	1200*1200*1950	600	



# CALISTA

## Details and functions





The performance is good and stable, by the stainless steel support bar with 90° - angle and the small hinge. The flat hinge is fixed by the single hole, which is easy to clean. The door can avoid falling by this design.

1 Brass hinge outside

3 Zinc alloy handle F07


2 Brass hinge inside

4 Stainless steel support bar



YH-DDXC821LB

Size:(1190-1205)x(790-805)x1950mm  
8mm tempered glass to EN 1215



YH-DPXC153LB


It can be customized  
8mm tempered glass to EN 1215


### YH-DDXC821RB Rectangle / square single hinge door with side panel

Size: (1190-1205)x(790-805)x1950mm

Door Access  
650mm

- 8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- flat hinge with single hole
- Zinc alloy handle F07
- 0-15mm adjustment per side



Model	Size mm (A*B*H)	Door Access(C)	Drawing
Min Size	800*800*1950	500	
YH-DDXC821RB	900*900*1950	550	
	1000*1000*1950	600	
	1000*800*1950	650	
	1200*800*1950	650	
	1200*900*1950	650	
Max Size	1400*900*1950	650	

CALISTA




YH-DPXC153RB Screen Single hinge door

Size:(885-915)x1950

Door Access  
550mm

- 8mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- flat hinge with single hole
- Zinc alloy handle F07
- 0-15mm adjustment per side



Model	Size mm (A*H)	Door Access(C)	Drawing
Min Size	800*1950	500	
YH-DPXC153RB	900*1950	550	
	1000*1950	600	
	1100*1950	650	
	1200*1950	650	
	1300*1950	650	
Max Size	1400*1950	650	

## Details and functions


This series specialty as below: Sliding door without bottom rail; Bottom have double guided clamp; Turnable fixing seat; Buffer stopper in aluminum profile; High transparent seals; The distance between fixed and moving glass only 8mm.

1 Hidden stainless steel roller

2 Zinc alloy handle 120-1


3 High transparent seal

4 Top profile




YH-DDSC821LB

Size:  
(1190-1205)x(790-805)x1950mm  
6/8mm-thick tempered glass



YH-DDSC861LB

Size:  
(790-805)x1950mm  
6/8mm-thick tempered glass



YH-DPSC153LB

Size:  
(1190-1205)x1950mm  
6/8mm-thick tempered glass





**YH-DDSC821RB** Rectangle / square single sliding door with side panel

Size: (1190-1205)x(790-805)x1950mm

Door Access  
500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Hidden stainless steel roller with excentric conformation
- High transparent seal
- Zinc alloy handle 120-1
- 0-15mm adjustment per side



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DDSC821RB	Min Size	1000*800*1950	400
		1100*800*1950	450
		1200*800*1950	500
		1300*800*1950	550
		1400*800*1950	600
		1500*800*1950	600
Max Size	1700*1000*1950	600	








## ELICIA


### YH-DPSC153LB Screen Single sliding door

Size: (1190-1215)x1950mm

Door Access  
500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Hidden stainless steel roller with excentric conformation
- High transparent seal
- Zinc alloy handle 120-1
- 0-15mm adjustment per side  
0-10mm adjustment of magnetic profile





Model	Size mm (A*H)	Door Access(C)	Drawing
Min Size	1000*1950	400	
YH-DPSC153LB	1100*1950	450	
	1200*1950	500	
	1300*1950	550	
	1400*1950	600	
	1500*1950	600	
Max Size	1700*1950	600	

## Details and functions

This series applies roller horizontal sliding door. The roller applies unique delta-shaped three-wheel design which prevents roller against sliding out of guide rail. Roller and handing articles all apply stainless steel material. The bottom is stainless steel guide clamp which has a unique wheel, smooth, stable, exquisite and innovative.

- 1 Roller of three wheels structure
- 2 Stainless steel handle 450-15
- 3 Fixed key of top profile
- 4 Guided clamp which with a wheel




### YH-DDS821ELB Rectangle / square single sliding door with side panel

Size: (1190-1210)x(790-810)x1950mm


Door Access  
510mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Unique three wheel is very quiet, smooth and stable
- Stainless steel handle 450-15
- 0-20mm adjustment per side
- Can be left and right opening




YH-DDS821ELB

Size:  
(1190-1210)x(790-810)x1950mm  
It can be customized  
6/8mm-thick tempered glass




YH-DPS153ERB

Size:  
(1180-1215)x1950mm  
It can be customized  
6/8mm-thick tempered glass



YH-DDS392EB

Size:  
(890-910)x(890-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass




YH-DDS694EB

Size:  
(890-910)x(890-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DDS821ELB	Min Size	1000*800*1950	410
		1100*800*950	460
		1200*800*950	510
		1300*800*1950	560
		1400*800*1950	610
		1500*800*1950	610
Max Size	1600*1000*1950	610	





**YH-DPS153ELB** Screen Single sliding door

Size:(1180-1215)x1950mm

Door Access  
500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Unique three wheel is very quiet, smooth and stable
- Stainless steel handle 450-15
- 0-20mm adjustment of upright profile
- 0-15mm adjustment of magnetic profile
- Can be left and right opening



Model	Size mm (A*B*H)	Door Access(C)	Drawing
Min Size	1000*1950	400	
YH-DPS153ELB	1100*1950	450	
	1200*1950	500	
	1300*1950	550	
	1400*1950	600	
	1500*1950	650	
Max Size	1700*1950	650	





**YH-DDS694DB** Rectangle/ square double sliding door

Size:(890-895)x(890-895)x1950mm

Door Access  
450mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Unique three wheel is very quiet, smooth and stable
- Stainless steel handle 450-15
- 0-5mm adjustment per side
- Can be left and right opening



Model	Size mm (A*B*H)	Door Access(C)	Drawing
Min Size	800*800*1950	380	
YH-DDS694DB	900*800*1950	415	
	900*900*1950	450	
	1000*800*1950	450	
	1000*900*1950	480	
Max Size	1000*1000*1950	520	




# HILARIA

**YH-DDS392EB**    Quadrant double sliding door

Size: (890-910)x(890-910)x1950mm

Door Access  
480mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Unique three wheel is very quiet, smooth and stable
- Stainless steel handle 450-15
- 0-20mm adjustment per side
- Can be left and right opening



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDS392EB	Min Size 800*800*1950	390	
	900*800*1950	440	
	900*900*1950	480	
	1000*800*1950	440	
	1000*900*1950	480	
Max Size	1000*1000*1950	480	



# EGON

## Details and functions


This series applies parallel sliding door. The top is international fashionable guide rail sliding by big roller, the bottom is stainless steel guided clamp structure, big roller is esthetic, simple and mute. The bottom applies guided clamp which is smooth, easy for cleaning and has good waterproof effect. Horizontal sliding door without bottom guide rail, which is convenient for old people and children to enter. The design is innovative, fashionable, simple and esthetic.

1 Big roller

2 Stainless steel handle 350B

3 Magnetic profile & fixed seat of top profile

4 Guided clamp



### YH-DD9821BRB Rectangle/ square single sliding door with side panel

Size: (1190-1210)x(790-810)x1950mm

Door Access  
480mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Big roller is very quiet, smooth and stable
- Stainless steel handle 350B
- 0-20mm adjustment per side
- Can be left and right opening



YH-DD9821BLB

Size:  
(1190-1210)x(790-810)x1950mm  
It can be customized  
6/8mm-thick tempered glass

YH-DP9153BRB


Size:  
(1180-1220)x1950mm  
It can be customized  
6/8mm-thick tempered glass

YH-DD9391BLB

Size:  
(890-910)x(890-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass

YH-DD9392BB


Size:  
(890-910)x(890-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass



YH-DD9694BB

Size:  
(890-910)x(890-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass

Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DD9821BRB	Min Size	1000*800*1950	380
		1100*800*950	430
		1200*800*950	480
		1300*800*1950	530
		1400*800*1950	580
		1500*800*1950	630
Max Size	1600*800*1950	630	








**YH-DP9153BRB** Screen Single sliding door

Size:(1180-1220)x1950mm

Door Access  
480mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Big roller is very quiet, smooth and stable
- Stainless steel handle 350B
- 0-20mm adjustment per side
- Can be left and right opening




Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	1000*1950	380	
YH-DP9153BLB	1100*1950	430	
	1200*1950	480	
	1300*1950	530	
	1400*1950	580	
	1500*1950	630	
Max Size	1700*1950	630	



**YH-DD9391BLB** Quadrant single sliding door

Size:(890-910)x(890-910)x1950mm

Door Access  
550mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Big roller is very quiet, smooth and stable
- Stainless steel handle 350B
- 0-20mm adjustment per side



Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	1200*800*1950	500	
YH-DD9391BLB	900*900*1950	550	
	1200*900*1950	550	
	1000*1000*1950	550	
Max Size	1200*1000*1950	550	



**YH-DD9392BB**    Quadrant double sliding door

Size:(890-910)x(890-910)x1950mm

Door Access  
500mm


- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Big roller is very quiet, smooth and stable
- Stainless steel handle 350B
- 0-20mm adjustment per side
- Can be left and right opening

**YH-DD9694BB**    Rectangle/square double sliding door


Size:(890-910)x(890-910)x1950mm

Door Access  
450mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Big roller is very quiet, smooth and stable
- Stainless steel handle 350C
- 0-20mm adjustment per side
- Can be left and right opening



Model	Size mm (A*B)	Door Access (C)	Drawing
YH-DD9392BB	Min Size	800*800*1950	410
		900*900*1950	500
		1000*1000*1950	500
		1000*800*1950	430
		1200*800*1950	430
		1200*900*1950	500
Max Size	1200*1200*1950	500	



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DD9694BB	Min Size	800*800*1950	380
		900*800*1950	410
		900*900*1950	450
		1000*800*1950	455
		1000*900*1950	480
Max Size	1000*1000*1950	520	

PAKA

Details and functions

This series with rectangle hinge; Rotary type 304 stainless steel top bar, you can not see any screw on the bar as there have screw trim cover outside; Wing shape seal with good waterproof performance.

- 1

Brass hinge
- 2

Zinc alloy handle F07
- 3

Stainless steel supported bar
- 4

Bottom breakwater profile&high transparent magnetic seal



YH-DDY391LB Quadrant single hinge door

Size: (890-905)x(890-905)x1950mm

Door Access  
600mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat, easy to clean
- High transparent seal, square breakwater profile.
- Zinc alloy handle F07
- 0-15mm adjustment per side




YH-DPY153LB Single hinge door


Size: (800-830)x1950mm

Door Access  
500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat, easy to clean
- High transparent seal, square breakwater profile.
- Zinc alloy handle F07
- 0-15mm adjustment per side



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DDY391LB	Min Size	800*800*1950	
		900*900*1950	
		1000*1000*1950	
	Max Size	1200*1000*1950	



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DPY153LB	Min Size	800*1950	
		900*1950	
		1000*1950	
		1100*1950	
		1200*1950	
		1300*1950	
Max Size	1500*1950	612	

YH-DDY821LB

Size:  
(1190-1205)x(790-805)x1950mm  
6/8mm-thick tempered glass

YH-DDY391LB

Size:  
(890-905)x(890-905)x1950mm  
6/8mm-thick tempered glass

YH-DPY153LB

NOTE:  
It can be customized  
6/8mm-thick tempered glass



## DELIXI

### Details and functions



This series applies elevating square hinge, hinged door is flat inside that is easy for cleaning, esthetic and simple. Top bar has multi angle rotation and has strong metal texture. Magnetic door inhale and side weather bar apply the mode of embedded aluminum material, which prevents adhesive tape and magnetic tape against turning yellow. .

1 Brass hinge outside

3 Zinc alloy handle B09


2 Brass hinge inside

4 Brass glass clamp



YH-DDX392B

Size:  
(885-910)x(885-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass




YH-DDX391LB

Size:  
(885-910)x(885-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass



YH-DDX191RB

Size:  
(885-910)x(885-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass



YH-DDX691LB

Size:  
(885-910)x(885-910)x1950mm  
It can be customized  
6/8mm-thick tempered glass



YH-DPX153LB


Size:  
(775-810)x1950mm  
It can be customized  
6/8mm-thick tempered glass


### YH-DPX153LB Screen Single hinge door

Size:(775-810)x1950mm

Door Access  
500mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat, easy to clean
- Zinc alloy handle B09
- 0-25mm adjustment of upright profile
- 0-15mm adjustment of magnetic profile



Model	Size mm (A*H)	Door Access(C)	Drawing
Min Size	800*1950	500	
YH-DPX153LB	900*1950	600	
	1000*1950	600	
	1100*1950	650	
	1200*1950	650	
	1300*1950	650	
Max Size	1500*1950	650	







**YH-DDX392B** Quadrant double hinge door

Size:(885-910)x(885-910)x1950mm

Door Access  
720mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat, easy to clean
- Zinc alloy handle B09
- 0-25mm adjustment per side



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDX392B	Min Size	800*800*1950	
		900*900*1950	
		1000*1000*1950	
		1000*800*1950	
		1200*800*1950	
		1200*900*1950	
	Max Size	1200*1200*1950	

## DELIXI





**YH-DDX391LB** Quadrant single hinge door

Size:(885-910)x(885-910)x1950mm

Door Access  
620mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat, easy to clean
- Zinc alloy handle B09
- 0-25mm adjustment per side



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDX391LB	Min Size	800*800*1950	
		900*900*1950	
		1000*1000*1950	
		1000*800*1950	
		1200*800*1950	
		1200*900*1950	
	Max Size	1200*1200*1950	





**YH-DDX191LB** Diamond single hinge door

Size:(885-910)x(885-910)x1950mm

Door Access  
600mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat, easy to clean
- Zinc alloy handle B09
- 0-25mm adjustment per side



Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	800*800*1950	600	
YH-DDX191LB	900*900*1950	600	
Max Size	1000*1000*1950	670	





**YH-DDX691LB** Rectangle / square single hinge door with side panel

Size:(885-910)x(885-910)x1950mm

Door Access  
550mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Inner side of hinge is flat, easy to clean
- Zinc alloy handle B09
- 0-25mm adjustment per side




Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	800*800*1950	500	
YH-DDX691LB	900*900*1950	600	
	1000*1000*1950	600	
	1000*800*1950	600	
	1100*800*1950	650	
	1200*800*1950	650	
Max Size	1400*1000*1950	650	



# SANO


## Details and functions

D8 series are simple Walk in products; Various top bar are available; Reversible.




YH-DP8150BB

NOTE:  
It can be customized  
6/8/10mm-thick tempered glass



YH-DP8150CB

NOTE:  
It can be customized  
6/8/10mm-thick tempered glass



YH-DP8150B

NOTE:  
It can be customized  
6/8/10mm-thick tempered glass




### YH-DP8150B


Walk in

Size:(690-715)x1950mm

- 6/8/10mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access(C)	Drawing
YH-DP8150B	Min Size	700*1950	/
		800*1950	/
		900*1950	/
		1000*1950	/
		1100*1950	/
		1200*1950	/
Max Size	1600*1950	/	





YH-DP8150CB Walk in


Size: (700-705)x1950mm

- 6/8/10mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- 0-5mm adjustment per side
- Reversible


YH-DP8150BB Walk in

Size: 700x1950mm

- 6/8/10mm tempered glass to EN 12150
- Easy clean glass available
- Stainless steel support bar
- Reversible



Model	Size mm (A*H)	Door Access(C)	Drawing
YH-DP8150CB	Min Size	700*1950	/
		800*1950	/
		900*1950	/
		1000*1950	/
		1100*1950	/
		1200*1950	/
Max Size	1600*1950	/	



Model	Size mm (A*H)	Door Access(C)	Drawing
YH-DP8150BB	Min Size	700*1950	/
		800*1950	/
		900*1950	/
		1000*1950	/
		1100*1950	/
		1200*1950	/
Max Size	1600*1950	/	



# CALEB

## Details and functions

This series' specialty as below: The top and bottom rollers are double torsion wheel, and the roller's bracket is made of zinc; Flat aluminum; Smart high transparent magnetic stripe and lateral water retaining seal; Invisible zinc handle; With good waterproof performance; Reversible.

- 1 Zinc alloy roller
- 2 Zinc alloy handle F02
- 3 Top&bottom profile
- 4 Upright profile



**YH-DDCB392B** Quadrant double sliding door

Size:(880-900)x(880-900)x1950mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Zinc alloy roller is quiet, smooth and stable
- Zinc alloy handle F02
- 0-20mm adjustment per side
- Reversible

Door Access  
530mm



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDCB392B	800*800*1950	430	
	900*900*1950	530	
	1000*1000*1950	530	
	1000*900*1950	530	
	1200*800*1950	480	
Max Size	1200*900*1950	530	
	1200*1000*1950	530	



**YH-DDCB694B** Square / Regentagle double sliding door





Size:(880-900)x(880-900)x1950mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Zinc alloy roller is quiet, smooth and stable
- Zinc alloy handle F02
- 0-20mm adjustment per side
- Reversible

Door Access  
490mm



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDCB694B	800*800*1950	420	
	900*900*1950	490	
	1000*1000*1950	560	
	1000*900*1950	525	
	1200*800*1950	490	
Max Size	1200*900*1950	525	
	1200*1000*1950	560	

 <p><b>YH-DDCB392B</b> Size: (880-900)x(880-900)x1950mm 6mm-thick tempered glass</p>	 <p><b>YH-DDCB821B</b> Size: (1180-1200)x(780-800)x1950mm 6mm-thick tempered glass</p>	
 <p><b>YH-DPCB155B</b> Size: (1180-1220)x1950mm 6mm-thick tempered glass</p>	 <p><b>YH-DDCB694B</b> Size: (880-900)x(880-900)x1950mm 6mm-thick tempered glass</p>	

CALEB



**YH-DPCB155B** Single sliding door

Size: (1180-1220)x1950mm

Door Access  
485mm


- 6mm tempered glass to EN 12150
- Easy clean glass available
- Zinc alloy roller is quiet, smooth and stable
- Zinc alloy handle F02
- 0-20mm adjustment per side
- Reversible


**YH-DDCB821B** Rectangle / square single sliding door with side panel

Size: (1180-1200)x(780-800)x1950mm

Door Access  
480mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Zinc alloy roller is quiet, smooth and stable
- Zinc alloy handle F02
- 0-20mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access(C)	Drawing
YH-DPCB155B	Min Size	1000*1950	
		1100*1950	
		1200*1950	
		1300*1950	
		1400*1950	
		1500*1950	
Max Size	1700*1950	585	



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDCB821B	Min Size	1000*800*1950	
		1100*800*1950	
		1200*800*1950	
		1300*800*1950	
		1400*800*1950	
		1500*800*1950	
Max Size	1700*800*1950	580	



CALEB




YH-DPCB155B Single sliding door

Size: (1180-1220)x1950mm

Door Access  
485mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Zinc alloy roller is quiet, smooth and stable
- Zinc alloy handle F02
- 0-20mm adjustment per side
- Reversible




Model	Size mm (A*B)	Door Access(C)	Drawing
YH-DPCB155B	Min Size	1000*1950	
		1100*1950	
		1200*1950	
		1300*1950	
		1400*1950	
		1500*1950	
Max Size	1700*1950	585	

YH-DDCB821B Rectangle / square single sliding door with side panel

Size: (1180-1200)x(780-800)x1950mm

Door Access  
480mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Zinc alloy roller is quiet, smooth and stable
- Zinc alloy handle F02
- 0-20mm adjustment per side
- Reversible



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DDCB821B	Min Size	1000*800*1950	
		1100*800*1950	
		1200*800*1950	
		1300*800*1950	
		1400*800*1950	
		1500*800*1950	
Max Size	1700*800*1950	580	

# ZERO

## Details and functions

This series is highly harmonious, stable and esthetic. We design the bathroom as an individual space and build special atmosphere for the living space, with much more elegance and sincerity. This is what the modern citizens pursue in the world flooded with high quality products everywhere.

- 1

Push out roller
- 2


Zinc alloy handle 145D
- 3

Walk in stainless steel supported bar
- 4


Glass clamp




YH-DD0392B  
Size:  
(890-915)x(890-915)x1950mm  
6/8mm-thick tempered moving glass  
6mm-thick tempered fixed glass




YH-DD0691CB  
Size:  
(890-915)x(890-915)x1950mm  
6/8mm-thick tempered moving glass  
6mm-thick tempered fixed glass




YH-DP0151CB  
NOTE:  
It can be customized  
6/8mm-thick tempered glass



YH-DP0155B  
NOTE:  
It can be customized  
6/8mm-thick tempered glass



YH-DP0154B  
NOTE:  
It can be customized  
4mm tempered glass




YH-DD0860DB  
NOTE:  
It can be customized  
8/10mm-thick tempered glass



Size: (890-920)x(890-920)x1950mm

Door Access  
540mm

- 6mm tempered fixed glass to EN 12150
- 6/8mm tempered moving glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- Zinc alloy handle 145D
- 0-30mm adjustment per side
- Reversible



Model	Size mm (A*B*H)	Door Access(C)	Drawing
YH-DD0392B	800*800*1950	430	
	900*900*1950	540	
	1000*1000*1950	540	
	1000*800*1950	485	
	1200*800*1950	485	
	1200*900*1950	540	
Max Size	1200*1200*1950	540	





**YH-DD0691CB** Square / Regentagle single hinge door with side panel

Size: (890-915)x(890-915)x1950mm

Door Access  
745mm

- 6mm tempered fixed glass to EN 12150
- 6/8mm tempered moving glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- Zinc alloy handle 145D
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*B*H)	Door Access(C)	Drawing
Min Size	800*800*1950	645	
YH-DD0691CB	800*1000*1950	645	
	900*900*1950	745	
	900*1000*1950	745	
	1000*800*1950	845	
	1000*900*1950	845	
Max Size	1000*1000*1950	845	




**YH-DP0151CB** Screen single hinge door

Size: (680-730)x1950mm

Door Access  
645mm

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- Zinc alloy handle 145D
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access(C)	Drawing
Min Size	700*1950	645	
YH-DP0151CB	800*1950	745	
	900*1950	845	
Max Size	1000*1950	945	







**YH-DP0155B** Screen single sliding door

Size:(1180-1230)x1950mm

Door Access  
465mm

- 6mm tempered fixed glass to EN 12150
- 6/8mm tempered moving glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- Zinc alloy handle 145D
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	1000*1950	365	
YH-DP0155B	1100*1950	415	
	1200*1950	465	
	1300*1950	515	
	1400*1950	565	
	1500*1950	615	
Max Size	1700*1950	615	





**YH-DP0154B** Screen Bifold (inside) sliding door

Size:(780-830)x1950mm

Door Access  
655mm

- 4mm tempered glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	700*1950	555	
YH-DP0154B	800*1950	655	
	900*1950	755	
Max Size	1000*1950	855	



YH-DD0861GB




YH-DP0150GB



YH-DD0-246B

It can be customized

- 6mm tempered glass to EN 12150
- Easy clean glass available
- 0-20 mm adjustment per side
- Reversible




Model	Size mm (A+B)* H	Door Access (C)	Drawin g
Min Size	(700+300)*1950	/	
YH-DD0861GB	(800+350)*1950	/	
	(900+350)*1950	/	
	(1000+350)*1950	/	
	(1100+350)*1950	/	
Max Size	(1200+350)*1950	/	

## ZERO



A



YH-DD0861GB



A + B + C




YH-DD0860GB



YH-DP0150GB



YH-DY246




YH-DP0150FB

NOTE: It can be customized

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- 0-20 mm adjustment per side
- Reversible




Model	Size mm (A*H)	Door Access (C)	Drawin g
Min Size	600*1950	/	
YH-D0150GB	700*1950	/	
	800*1950	/	
	900*1950	/	
	1000*1950	/	
	1100*1950	/	
Max Size	1600*1950	/	

## ZERO




A



YH-DP0150GB




A + B



YH-DD0860DB



A + A + B + C



YH-DD0861B



## Details and functions

This series of shower enclosure apply smart aluminum material and esthetic lines. The roller is specially designed. Inside configuration of wheel is all hidden and combines the outside shape to form an integrated structure. Aluminum side seal is durable, anti-tarnish. The unique hidden handle makes the product obtain more outstanding personality and become more esthetic and harmonious.

- 1 Nylon top roller
- 2 Nylon bottom roller
- 3 Aluminium profile handle
- 4 Bottom profile




**YH-DDC392B** Quadrant double sliding door

Size: (890-905)x(890-905)x1950mm

Door Access  
570mm

- 4/6mm tempered glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- Aluminium profile handle
- 0-15mm adjustment per side
- Apply smart aluminium material and esthetic lines



Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	800*800*1950	460	
	900*900*1950	570	
YH-DDC392B	1000*1000*1950	570	
	1000*800*1950	515	
	1200*800*1950	515	
	1200*900*1950	570	
Max Size	1200*1200*1950	570	




**YH-DDC694B** Square/Regentagle singlesliding door


Size: (890-905)x(890-905)x1950mm

Door Access  
510mm

- 4/6mm tempered glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- Aluminium profile handle
- 0-15mm adjustment per side
- Apply smart aluminium material and esthetic lines



Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	800*800*1950	440	
	800*1000*1950	510	
YH-DDC694B	900*900*1950	510	
	1000*1000*1950	580	
Max Size	1000*1000*1950	580	



**YH-DDC392B**

Size:  
(890-905)x(890-905)x1950mm  
4/6mm-thick tempered glass

**YH-DDC694B**

Size:  
(890-905)x(890-905)x1950mm  
4/6mm-thick tempered glass

**YH-DDC821B**

Size:  
(1190-1205)x(790-795)x1950mm  
4/6mm-thick tempered glass

**YH-DPC155B**

NOTE:  
It can be customized  
4/6mm-thick tempered glass




**YH-DDC821B** Square/Regentagle single sliding door

Size: (1190-1205)x(790-805)x1950mm

Door Access  
510mm

- 4/6mm tempered glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- Aluminium profile handle
- 0-15mm adjustment per side
- Apply smart aluminium material and esthetic lines



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DDC821B	Min Size	1000*800*1950	
		1100*800*1950	
		1200*800*1950	
		1300*800*1950	
		1400*800*1950	
	Max Size	1400*1000*1950	
		410	
		460	
		510	
		560	
		610	
		610	





**YH-DPC15B** Screen single sliding door

Size:(1185-1215)x1950mm

Door Access  
515mm

- 4/6mm tempered glass to EN 12150
- Easy clean glass available
- Double wheel is very quiet, smooth and stable
- Aluminium profile handle
- 0-15mm adjustment per side
- Apply smart aluminium material and esthetic lines



Model	Size mm (A*H)	Door Access (C)	Drawing
YH-DPC155B	Min Size	1000*1950	
		1100*1950	
		1200*1950	
		1300*1950	
		1400*1950	
		1500*1950	
		415	
		465	
		515	
		565	
		615	
		615	
		615	
Max Size	1700*1950	615	



## Details and functions


This series with lifting structure, the rotating shaft structure use the chrome PA66+ABS which make the product more strength and perfect; Rotary type 304 stainless steel top bar; With good waterproof performance; Let and right reversible.

1 Rotated shaft

3 Stainless steel supported bar


2 Zinc alloy handle B02

4 Bottom breakwater profile




YH-DD2691BB

Size:  
(890-915)x(890-915)x1950mm  
6mm-thick tempered glass




YH-DP2151BB

NOTE:  
It can be customized  
6mm-thick tempered glass




YH-DP2063BB

Size:  
(1190-1215)x(890-915)x1950mm  
6mm-thick tempered glass




YH-DD2394BB

Size:  
(890-915)x(890-915)x1950mm  
6mm-thick tempered glass




YH-DP2153BB

NOTE:  
It can be customized  
6mm-thick tempered glass




YH-DP2151EB

NOTE:  
It can be customized  
6mm-thick tempered glass




YH-DP2152EB

NOTE:  
It can be customized  
6mm-thick tempered glass




YH-DP2151FB

NOTE:  
It can be customized  
6/8mm thick tempered glass




YH-DP2151GB/  
YH-DP2151DB

NOTE:  
It can be customized  
6mm-thick tempered glass




YH-DP2152FB

NOTE:  
It can be customized  
6mm-thick tempered glass



YH-DP2153FB

NOTE:  
It can be customized  
6/8mm thick tempered glass



YH-DP2153EB

NOTE:  
It can be customized  
6mm-thick tempered glass

## TASHIA




### YH-DD2691BB Rectangle/Square single pivot door

Size: (890-915)x(890-915)x1950mm

Door Access  
800mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- Zinc alloy handle B02
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	800*800*1950	700	
YH-DD2691BB	800*1000*1950	700	
	900*900*1950	800	
	900*1000*1950	800	
	1000*800*1950	900	
Max Size	1000*900*1950	900	
	1000*1000*1950	900	







**YH-DP2151BB** Screen Single pivot door

Size:(680-720)x1950mm

Door Access  
585mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- Zinc alloy handle B02
- 0-25mm adjustment of upright profile
- 0-15mm adjustment of magnetic profile
- Reversible



Model	Size mm (A*H)	Door Access (C)	Drawing
YH-DP2151BB	Min Size 600*1950	485	
	700*1950	585	
	800*1950	685	
	900*1950	785	
Max Size	1000*1950	885	




**YH-DD2063BB** Special-shaped single pivot door

Size:(1180-1205)x(880-905)x1950mm

Door Access  
610mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- Aluminum handle 816B
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*B*H)	Door Access (C)	Drawing
YH-DD2063BB	1200*900*1950	610	





**YH-DD2394BB** Quadrant double pivot door

Size: (890-915)x(890-915)x1950mm

Door Access  
720mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- Zinc alloy handle B02
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*B*H)	Door Access (C)	Drawing
Min Size	800*800*1950	720	
YH-DD2394BB	900*900*1950	720	
	1000*1000*1950	720	
	1000*800*1950	720	
	1200*800*1950	720	
	1200*900*1950	720	
Max Size	1200*1200*1950	720	




**YH-DP2153BB** Screen Single pivot door

Size:(1180-1220)x1950

Door Access  
600mm

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- Zinc alloy handle B02
- 0-25mm adjustment of upright profile
- 0-15mm adjustment of magnetic profile
- Reversible



Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	900*1950	600	
YH-DP2153BB	1000*1950	600	
	1100*1950	600	
	1200*1950	600	
	1300*1950	600	
Max Size	1400*1950	600	







### YH-DP2151EB

Bath Screen Single pivot door

Size: (1190-1215)x1450mm  
It can be customized.

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access (C)	Drawing
YH-DP2151EB	Min Size 800*1450	/	
	900*1450	/	
	1000*1450	/	
	1100*1450	/	
Max Size	1200*1450	/	

## TASHIA




### YH-DP2152EB

Bath Screen double (hinge & pivot) door

Size: (790-815)x1450mm  
It can be customized.

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Hinge & pivot door
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access (C)	Drawing
YH-DP2152EB	Min Size 800*1450	/	
	900*1450	/	
	1000*1450	/	
	1100*1450	/	
Max Size	1200*1450	/	






YH-DP2151FB Bath Screen Hinge door

Size:800x1450mm  
It can be customized

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Hinge door
- Reversible




Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	600*1450	/	
YH-DP2152FB	700*1450	/	
	800*1450	/	
Max Size	900*1450	/	



YH-DP2151DB Bath Screen Single Hinge door

Size:800x1450mm  
It can be customized

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Hinge door
- Reversible




Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	600*1450	/	
YH-DP2151DB	700*1450	/	
	800*1450	/	
Max Size	900*1450	/	



#### YH-DP2152FB Bath Screen double (hinge&pivot)door

Size:(1190-1215)x1450mm  
It can be customized

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Hinge & pivot door
- 0-25mm adjustment per side
- Reversible




Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	800*1450	/	
	900*1450	/	
YH-DP2152FB	1000*1450	/	
	1100*1450	/	
Max Size	1200*1450	/	



#### YH-DP2153FB Bath Screen Single Hinge door


Size: (1190-1205)x1450mm  
It can be customized

- 6/8mm tempered glass to EN 12150
- Easy clean glass available
- Hinge door
- 0-15mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access (C)	Drawing
Min Size	800*1450	/	
	900*1450	/	
YH-DP2153FB	1000*1450	/	
	1100*1450	/	
Max Size	1200*1450	/	







# TASHIA

## YH-DP2153EB Bath Screen Single pivot door

Size:(790-815)x1450mm  
It can be customized.

- 6mm tempered glass to EN 12150
- Easy clean glass available
- Pivot door
- 0-25mm adjustment per side
- Reversible



Model	Size mm (A*H)	Door Access (C)	Drawing
YH-DP2153EB	Min Size 600*1450	/	
	700*1450	/	
	800*1450	/	
	900*1450	/	
Max Size	1000*1450	/	